# Maximise your payload.



The Mack Trident is built with versatility in mind, proving itself in the heavy construction, tractor unit applications and long-haul operations. The Trident, with axle forward configuration, is perfect for extreme axle measurements to maximise payload. The Mack Trident Axle Forward will make light work of navigating a tipper and dog on any worksite. Max GVWR 27.6 TONNE Power 535 MAX HP Peak Torque **1,920** LBS.-FT. MAX

## TRIDENT

#### **Key Features**

The front axle position offers optimum Powered by the Mack MP8 eSCR engine mDRIVE<sup>™</sup> automated manual payload making it perfect for tipper and delivering up to 535hp and 1920lb.ft. transmission with deep reduction gears, dog applications, container transport, (2600Nm) torque takes all the effort out of gear changes and tractor unit operations. and provides flexibility in low speed applications Introducing dual voltage system, 12V Mack Infotainment system, compatible "Road Stability Advantage" rollover cab and chassis with 24V engine and with Apple CarPlay, Android Auto prevention transmission compatibility and wireless phone charging pocket Quiet and comfortable cab with new Built in Australia for New Zealand Great fuel economy and low emissions cab suspension for an improved conditions

### **Comfortable Interiors**


ride, with Mack Infotainment system, compatible with Apple CarPlay and

Android Auto


The Mack Trident comes with new levels of driver comfort, safety and functionality. Designed for the driver, with added cab suspension, a tilt/telescoping steering column, driver seat with air suspension and all the controls within reach, the cab offers an improved ride and reduced vibration in tough New Zealand conditions.

#### **Total Support**


Mack Genuine Parts are as tough as your truck. With premium materials and precision engineering, they're built to take whatever the road can throw at them. Mack Total Support gives you the added confidence of warranties, servicing and maintenance from the people who know your machine. With New Zealand wide support, we have the right solution for your operation.









**6x4 Day Cab Tractor** 





6x4 Day Cab Rigid



6x4 36" Stand-Up Sleeper (914mm)

| Configuration*          |       | 6x4  |                 |               |                 |  |  |
|-------------------------|-------|--|-----------------|---------------|-----------------|--|--|
| GCM                     |       | Please speak with your Mack Sales contact for GCM ratings specfic to your chosen spec.       |                 |               |                 |  |  |
| Саb Туре                |       | Day Cab Tractor  | Day Cab Rigid   | 28" Super Cab | 36" Sleeper     |  |  |
| Wheelbase               | (mm.) | 4,720, 4,745<br>4,770, 4,795<br>4,970, 4,995<br>5,120, 5,145<br>5,420, 5,445<br>5,770, 5,795 | 5,445,<br>5,795 | 5,145         | 5,270,<br>5,295 |  |  |
| Maximum Fuel Capacity** | L     | 850  | 970             | 1,005         | 1,540           |  |  |
| AdBlue Tank Capacity**  | L     | 95<br>125  | 125             | 125           | 150<br>200      |  |  |

\*Other configuration options available via C.A.

\*\*Various fuel packages available.

6x4 28" Super Cab (710mm)

| ENGINE                      | Mack MP8 13 litre, 500hp & 535hp<br>eSCR Emission Level Euro6 (ADR80-04) |            |                     |                        | REAR AXLE    | STANDARD  | OPTION           |
|-----------------------------|--|------------|---------------------|------------------------|--------------|---|------------------|
|                             | 500hp (373kW) / 1840lb.ft (2490Nm)                                       |            |                     |                        | Axle Type    | Meritor<br>RT46-160GP                                 | Mack<br>2370B    |
|                             | 535hp (399kW)  | ) / 1920lb | .ft (26001          | Nm)                    | Capacity     | 46,000 lbs (21t)                                      | 50,000 lbs (23t) |
| Engine Brake                | Advanced Pow<br>Engine retardir  |            | •                   |                        | - Suspension | Mack AL460 Air Suspension                             |                  |
|                             | Single RHS fra<br>less steel heat  |            | ited catal          | lyst with stain-       |              | Mack AP460 Air Suspen                                 |                  |
|                             | Outlet twin 152  | 2mm (6") י | vertical e          | xhaust                 |              | Mack Air Ride Suspension                              |                  |
| Exhaust                     |  |            |                     |                        | CAB          | Fusion Cab, ECE29 (cab strength test) compliant       |                  |
|                             | Exhaust tip hei  | ght abov   | e ground            | 3.5m                   | Cab Storage  | Overhead storage available                            |                  |
|                             | RHS low under  | frame ex   | haust ou            | tlet                   |              | Rear Wall storage available                           |                  |
| Air Intake & Filter         | Donaldson 279<br>dual canisters  |            | •                   | ry type element,<br>ab |              | Door Storage (2 pockets)                              |                  |
|                             | Steel dust extra<br>intakes mounte                                       |            |                     |                        |              | Centre storage console available                      |                  |
| TRANSMISSION                | STANDARD   | ΟΡΤΙΟ      | ол                  | OPTION                 |              | Day Cab   |                  |
|                             | AMT  | AMT        |                     | AMT                    | Саb Туре     | Super Cab - 710mm Rear Cabin Extension (28")          |                  |
| Transmission Type           |  |            | VE HD mDRIVE XHD    |                        |              | Sleeper - 914mm Stand-Up Mid-Rise (36")               |                  |
| Multispeed Reverse<br>Gears | 4  | 6          |                     | 6                      | BRAKE SYSTEM | Bendix Antilock Braking                               | System           |
| LO / HI                     | 14.94 / 1.00   | 17.54      | · 1.00 32.04 / 1.00 |                        | Front Brakes | Front 'S' Cam with Iron E                             | Brake Drum       |
| FRONT AXLE                  | Mack FXL 14.6  | Single St  | teer                |                        |              | Front Disc Brake                                      |                  |
| Capacity                    | 14,600 lbs (6.6t   | )          |                     |                        |              | Rear 'S' Cam with Iron E                              | rake Drum        |
| Suspension                  | Front Parabolic  | Spring     |                     |                        |              | Rear Disc Brake                                       |                  |
| CHASSIS FRAME               | STANDARD   |            | OPTION              |                        | Rear Brakes  | ABS   |                  |
| Rail Dimensions             | 300 x 90 x 8mm   |            | 300 x 90 x 9.5mm    |                        |              | Grade Gripper - Hill Start Assist                     |                  |
|                             |  |            |                     |                        |              | Mack Road Stability Adv<br>(ESP - Electronic Stabilit | -                |
|                             |  |            |                     |                        |              | 1   |                  |

Shaded areas indicate optional specifications.



| SAFETY               | Advanced active safety technology        | ADBLUE TANKS            | DEF TANKS   |  |
|----------------------|--|-------------------------|---|--|
| Alerts               | Alert Prioritisation                     | LHS Outside of<br>Frame | 95L & 125L Round tanks and 150L 'D'-Shape tanks                                 |  |
|                      | Bendix Blindspotter                      | WHEELS                  | 10 Stud Options   |  |
|                      | Following Distance Alert                 |                         | 8¼" steel disc  |  |
|                      | Impact Alert                             | 285mm PCD               | 8¼" machine buff disc   |  |
|                      | Lane Departure Warning                   |                         | 8¼" and 9" polished alloy disc  |  |
|                      | Stationary Object Alert                  |                         | 8¼" and 9" polished Dura-Bright alloy disc                                      |  |
| Braking Intervention | Stationary Vehicle Braking               |                         | 8¼" steel disc  |  |
|                      | Enhanced Collision Mitigation            | 335mm PCD               | 8¼" and 9" polished alloy disc  |  |
|                      | Adaptive Cruise Control With Braking     |                         | 81/4" and 9" polished Dura-Bright alloy disc                                    |  |
|                      | Multi-Lane Automated Emergency Braking   | TYRES                   | Bridgestone / Michelin tyres  |  |
|                      | Highway Departure Braking                |                         | Cab/sleeper: Single non-metallic cab colour<br>(Incredible White standard)      |  |
| FUEL TANKS           | Various fuel packaging options available | PAINT                   |   |  |
| LHS                  | 350L, 400L, 500L & 585L Round tanks      |                         | Chassis: Single non-metallic chassis colour<br>(Black standard)                 |  |
|                      | 360L & 700L 'D'-Shape tanks              |                         | Many factory fitted accessories which are not                                   |  |
| RHS                  | 350L, 385L & 420L Round tanks            |                         | listed are also available   |  |
|                      | 480L 'D'-Shape tank                      | ACCESSORIES             | All customers are encouraged to see their<br>Authorised Dealer for full details |  |

Shaded areas indicate optional specifications.





Mack Trucks New Zealand 0800 683 383 mack.sales@mtd.co.nz macktrucks.co.nz

All illustrations, specifications and descriptions in this specification are based on the latest product information available at the time of this publication. The right is reserved to make changes in price, materials, equipment, design, specifications, diagrams and models, and to discontinue models of equipment at any time, without notice and without incurring any obligation whatsoever. For more information on additional options and accessories, contact Mack Trucks New Zealand. (www.macktrucks.co.nz).

©2024 Mack Trucks, Inc. All rights reserved. Mack, Mack and the Bulldog design, Bulldog and all other marks contained herein are registered trademarks of Mack Trucks, Inc. and/or Mack Trucks, Inc. affiliated companies. All other marks contained herein are the property of their respective owners.